

Prolact+4 H²MF[®] Human Milk-Based Human Milk Fortifier (10 mL) Product Preparation Log Sheet

This log sheet should be completed by the staff who will prepare Prolact+4 H²MF fortifier (10 mL) for administration and feeding.

Directions for Preparation and Use
 Store at 20° C or colder until ready to use. Do not microwave. Once thawing process begins, administer within 48 hours. Mix full bottle with 40 mL of human milk. Gently swirl bottle to mix; DO NOT SHAKE. Once mixed, keep refrigerated until used. The health of the infant depends on carefully following the directions for preparation and use.

10 mL Prolact+4 H²MF
 Must be mixed with 40 mL human milk

Human Milk Fortifier (Human, Pasteurized)
 When mixed, adds 4 Calories per fl oz.

Nutrients per 10 mL (1 bottle)
 Protein..... g Carbohydrate.... g
 Fat..... g Calories..... g

Minerals
 Calcium..... mg Manganese.... mcg
 Phosphorus... mg Copper..... mcg
 Magnesium... mg Sodium..... mg
 Iron..... mg Potassium.... mg
 Zinc..... mg Chloride..... mg

Caution
 Nutritionally incomplete. Infant will require additional vitamins and iron added separately from the product.

Manufactured By
 ProLacta Bioscience, Inc.
 City of Industry, CA 91746
 www.prolacta.com
 (888) PROLACT

Ingredients
 Human milk, contains less than 2% of the following: calcium glycerophosphate, calcium gluconate, sodium citrate, magnesium phosphate, calcium chloride, potassium citrate, calcium carbonate, zinc sulfate, cupric sulfate

Product Code: 93901-10
GTIN: 03812597021418
LOT: XXXXXXXXXXXX
USE BY: Month Day, Year
SERIAL: XXXXX

Patented: U.S. Pat Nos. 8,545,920; 7,943,315; 8,278,046

+4
 10 mL (0.3 fl oz)

Lot #



| Patient Name and MR# or Patient Label | Lot/Serial# | Date/Time Frozen Bottle Removed from Freezer | Discard Bottle by Date/Time* | mL Dispensed/ mL Remaining† | mL Discarded† | Signature of Preparer/ Co-Signer |
|---------------------------------------|-------------|--|------------------------------|--------------------------------|---------------|-------------------------------------|
| Example: J. Doe ABC123XYZ | CF041801USA | Date: XX/XX/XX | Date: XX/XX/XX | 30 mL | 0 mL | J. Smith |
| | 5951 | Time: 8:00 am | Time: 8:00 am | 20 mL | | S. Jones |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

*Product must be administered within 48 hours of the start of thawing or according to hospital policy regarding human milk – whichever time frame is shorter.

†When mixed with 40 mL of human milk for a total volume of 50 mL.

To provide your preterm patient with a 100% human milk-based diet, call 1-888-PROLACT (1-888-776-5228) or visit www.prolacta.com.